


TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED / ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		ATTORNEY'S DOCKET NUMBER P66718US0
		US APPLICATION NO (If known) see 37 CFR 1.51 09/857181
INTERNATIONAL APPLICATION NO PCT/EP99/10003	INTERNATIONAL FILING DATE 16 December 1999	PRIORITY DATE CLAIMED 19 December 1998
TITLE OF INVENTION MICROPOROUS HEAT INSULATION BODY		
APPLICANT(S) FOR DO/EO/US Octavian ANTON -and- Ann OPSOMMER		

Applicant herein submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for Internatl. Preliminary Examination was made by the 19th month from earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the Internatl. Preliminary Examination report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern other document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☒ An assignment document for recording. A separate cover sheet compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
☐ A SECOND or SUBSEQUENT preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information:
 - International Search Report – EPO
 - PCT/IB/301 Form
 - PCT/IB/304 Form
 - PCT/IB/308 Form
 - First Page of Publication
 - International Preliminary Examination Report – No Annexes

US APPLICATION NO. (If known, see 37 CFR 1.51) 097857181		INTERNATIONAL APPLICATION NO. PCT/EP99/10003		ATTORNEY'S DOCKET NUMBER P66718US0	
17. <input checked="" type="checkbox"/> The following fees are submitted: Basic National Fee (37 CFR 1.492(a)(1)-(5)): Internatl. prelim. examination fee paid to USPTO (37 CFR 1.492 (a) (1)) . . \$690.00 No international preliminary examination fee paid to USPTO (37 CFR 1.492 (a) (2)) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) . . \$710.00 Neither international preliminary examination fee (37 CFR 1.492 (a) (3)) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO) \$1000.00 International preliminary examination fee paid to USPTO (37 CFR 1.492 (a) (4)) and all claims satisfied provisions of PCT Article 33(2)-(4) \$100.00 Search Report prepared by the EPO or JPO (37 CFR 1.492 (a) (5)) \$860.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS	PTO USE ONLY
				\$ 1000.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	4 - 20 =	-0-	x \$18.00	\$	
Independent Claims	1 - 3 =	-0-	x \$80.00	\$	
Multiple Dependent Claim(s) (if applicable)			+ \$270.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 1000.00	
Reduction by 1/2 for filing by small entity , if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$	
SUBTOTAL =				\$ 1000.00	
Processing fee of \$130 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f))				\$	
TOTAL NATIONAL FEE =				\$ 1000.00	
Fee of \$40.00 for recording the enclosed assignment (37 CFR 1.21(h)). Assignment must be accompanied by appropriate cover sheet (37 CFR 3.28, 3.31).				\$ 40.00	
TOTAL FEES ENCLOSED =				\$ 1040.00	
				Amt. to be refunded:	\$
				Amt. charged:	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>1040.00</u> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. <u>06-1358</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge my account any additional fees set forth in §1.492 during the pendency of this application, or credit any overpayment to Deposit Account No. <u>06-1358</u> . A duplicate copy of this sheet is enclosed.					
SEND ALL CORRESPONDENCE TO: JACOBSON HOLMAN PLLC 400 7th Street, N.W., Suite 600 Washington, DC 20004 202-638-6666 CUSTOMER NUMBER: 00136					
			By  William E. Player Reg. No. 31,409		

09/857181

JC78 Rec'd PCT/PTO 19 JUN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Octavian ANTON et al
Serial No.: New
Filing Date: June 19, 2001
For: MICROPOROUS HEAT INSULATION BODY

PRELIMINARY AMENDMENT

Assistant Commissioner of Patents
Washington, D.C. 20231

Sir:

Prior to initial examination, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend claim 4 as follows:

4. (amended) The microporous heat insulation body according to claim 2, characterized in that the cover consists of a prefabricated mica sheet on both sides.

REMARKS


The foregoing Preliminary Amendment is requested in order to delete the multiple dependent claims and avoid paying the multiple dependent claims fee.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE."

Early action on the merits is respectfully requested.

Respectfully submitted,

JACOBSON HOLMAN PLLC

By 
William E. Player
Reg. No. 31,409

400 Seventh Street, N.W.
Washington, D.C. 20004-2201
(202) 638-6666

Atty. Docket: P66718US0
Date: June 19, 2001
WEP:jrc

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS

4. (amended) The microporous heat insulation body according to claim 2 ~~or 3~~, characterized in that the cover consists of a prefabricated mica sheet on both sides.

0957131-064904

2/PRTS

09/857181

JC18 Rec'd PCT/PTO 19 JUN 2001

UB

Microporous heat insulation body

The subject matter of the present invention is a microporous heat insulation body consisting of compressed heat insulation material containing from 30 to 90 % by weight of a finely divided metal oxide, from 0 to 30 % by weight of an opacifier, from 0 to 10 % by weight of a fibrous material, and from 0 to 15 % by weight of an inorganic binder.

Such a heat insulation body has been described, e.g., in EP-A-0 618 399, wherein, however, at least one surface of the formed piece is required to have channel pores having pore base areas of from 0.01 to 8 mm² and penetration depths of from 5 to 100 %, based on the thickness of the formed piece, and wherein the surface of the formed piece contains from 0.004 to 10 channel pores per 1 cm².

Said heat insulation bodies are manufactured by a dry compression and a subsequent sintering at temperatures of from 500 to 900 °C with the channel pores being formed by drilling, punching, or milling and preferably by embossing punches. Due to these measures, it is possible to drain off the steam explosively escaping during the rapid heating such that a decomposition of the heat insulation body can be avoided.

The drawbacks of said heat insulation body are the complicated manufacturing process and the deterioration of the heat insulation properties due to the convection of gases within the pores.

Another process for the manufacturing of a microporous body has been described in EP-A-0 623 567, wherein oxides, hydroxides, and carbonates of the metals of the 2nd main group of the periodic system are compressed together with pyrogenically manufactured SiO_2 and optionally Al_2O_3 and an opacifier and an organic fiber with each other and then sintered at temperatures exceeding 700°C . This process is not only complicated but additionally suffers from the drawback that the re-cooling of this well isolating material takes a long time.

Heat insulation bodies prepared with highly heat-resistant adhesives and a slurry, a silica sol and a clay have been described in DE-C-40 20 771. Herein, also additional prior art regarding the manufacturing and composition of heat insulating bodies has been described. The drawback of all heat insulation bodies comprising organic components and in particular organic fibrous material is that said organic components burn at very high temperatures and feature an unwanted evolution of gas.

DE 41 06 727 describes heat insulation bodies having a plastic sheet cover, wherein special shrinkable plastic sheets are to be used. Also these heat insulation bodies still contain organic material and loose their dimensional stability if heated severely.

DE-C-42 02 569 describes moulds for pressing heat insulation bodies, in particular for electrical radiant heaters such as boiling plates.

EP-A-686 732 describes dry-compressed heat insulation plates consisting of different internal and external materials, said materials having stabilizing openings that throughout consist of the external material. Also these plates can be manufactured only in a complicated manner, and neither the mechanical stability nor heat insulating properties thereof are optimal.

Said heat insulation plates have another drawback in that it is difficult to avoid damaging the outer layers during cutting and processing steps unless very

Another attempt to solve the problems in the manufacture of heat insulation plates for obtaining optimal properties has been described in EP 0 829 346, where the difficulties and drawbacks of the state of the art have been listed once again.

Although the bending strength of said heat insulation plates may be improved by adding fibrous material, higher fibre amounts tend to enhance the delamination and to deteriorate the coherence of the compressed mixture during the critical demolding step.

Finally, the heat insulation bodies are required to be good electrical insulators in many cases. However, there exist uses where it is desired that at least one of the surfaces has an electrical conductivity to be able to dissipate electrostatic charges.

Now, all these problems have been solved by microporous heat insulation bodies consisting of a compressed heat insulation material containing from 30 to 90 % by weight of finely divided metal oxide, from 0 to 30 % by weight of an opacifier,

from 0 to 10 % by weight of an inorganic fibrous material, and from 0 to 15 % by weight of an inorganic binder, wherein the body additionally contains from 2 to 45 % by weight, preferably from 5 to 15 % by weight of xonotlite.

Preferably, said microporous heat insulation body has a cover of a heat-resistant material on one or both surfaces thereof. Especially preferred are covers which are the same or different and consist of rough-pressed xonotlite, mica or graphite. With the use of xonotlite and/or mica covers being good electrical insulators are formed. With the use of graphite there is formed a cover which has a conductivity enabling at least the dissipation of electrical charges. Thus, in certain uses it may be advantageous to form one side of the cover from xonotlite and/or mica and the other cover from graphite.

The heat insulation bodies are manufactured by dry-compressing, wherein the mechanical compacting is improved by the addition of xonotlite without a sintering at higher temperatures being necessary. Furthermore, the addition of xonotlite results in a lower resilience after compressing. Furthermore, the addition of relatively low amounts of fibrous material considerably improves the bending strength of the finished heat insulation bodies if xonotlite is a component thereof.

Finally, the use of xonotlite in the core results in an improvement of the homogeneity of the dry mix both during the preparation and in the final product.

The residual components of the heat insulation body of the invention can be selected from the materials already known for this purpose. As finely divided metal oxides, e.g., pyrogenically prepared silicic acids including arc silicic acid, precipitated low-alkali silicic acids, silicon dioxide aerogels, analogously prepared aluminium oxides and mixtures thereof are used. Pyrogenically prepared silicic acids are especially preferred.

As opacifiers, titanium dioxide, ilmenite, silicon carbide, iron(II) iron(III) mixed oxides, chromium dioxide, zirconium oxide, manganese dioxide, iron oxide,

As fibrous materials, glass fibres, mineral wool, basalt fibres, cinder wool, ceramic fibres and whiskers, and fibre ropes prepared from, e.g., melts of aluminium and/or silicon oxides and mixtures thereof are suitable.

Generally, such binders are not necessary if xonotlite is used. Some of these binders may also be used as a dry premix with xonotlite since they can be homogeneously incorporated in this state particularly easily.

Said synthetically prepared xonotlite is generally obtained in the form of beads consisting of felted needles. However, according to the invention also non-felted or hardly felted needles obtained during the preparation, use, and processing of xonotlite for other purposes, which may be mixed with other components of such products, may also be employed.

If covering one or both surfaces of the heat insulation bodies of the invention with a heat-resistant material is desired, commercial mica and graphite sheets may be used. Further, it is possible to make a layer material from pre-com-

pressed xonotlite which is introduced into the bottom and the top of the mold for the residual dry mix and compressed together with said dry mix.

The properties of the microporous heat insulation bodies of the invention may vary depending on the desired purposes of application. The physical properties of the final product can also be adjusted to the respective purpose by adapting the composition of the heat insulation bodies.

The invention will be illustrated in more detail in the following examples and comparative examples.

Example 1

A mixture of 68 % by weight of pyrogenic silicic acid, 30 % by weight of rutile serving as an opacifier, and 2 % by weight of silicate fibres (6 mm in length) were intensively dry-mixed in a compulsory mixer and then dry-compressed in a rectangular metal mould under a pressing pressure of 0.9 MPa, whereby a plate having a density of 320 kg/m² was obtained. After releasing the pressing pressure and demolding the plate, the thickness of a 15 mm thick plate increased by 3 to 4 % due to resilience and re-expansion. The mechanical stability of the heat insulation body is only low.

Example 2

Various amounts of a synthetic xonotlite (Promaxon®, a commercial product of the Promat company, Belgium) are added to the mixture of example 1 and said mixtures are compressed according to example 1. The resilience and re-expansion distinctly decrease with increasing amounts of xonotlite. The data are summarized below and illustrated in figure 1:

According to the data summarized in following table and illustrated in figure 2, the addition of xonotlite results in an increase of the bending strength.

From these data and figure 2 it can be derived that an addition of xonotlite of up to 20 % by weight also increases the bending strength.

C l a i m s

1. A microporous heat insulation body consisting of a compressed heat insulation material containing from 30 to 90 % by weight of a finely divided metal oxide, from 0 to 30 % by weight of an opacifier, from 0 to 10 % by weight of an inorganic fibrous material, and from 0 to 15 % by weight of an inorganic binder, characterized in that the body additionally contains from 2 to 45 % by weight, preferably from 5 to 15 % by weight of xonotlite.
2. The microporous heat insulation body according to claim 1, characterized in that one or both surfaces have a cover of a heat-resistant material.
3. The microporous heat insulation body according to claim 2, characterized in that the covers are the same or different and consist of pre-compressed xonotlite, mica, or graphite.
4. The microporous heat insulation body according to claim 2 or 3, characterized in that the cover consists of a prefabricated mica sheet on both sides.

Abstract

The microporous heat insulation body consists of a compressed heat insulation material containing from 30 to 90 % by weight of a finely divided metal oxide, from 0 to 30 % by weight of an opacifier, from 0 to 10 % by weight of an inorganic fibrous material, and from 0 to 15 % by weight of an inorganic binder, and additionally from 2 to 45 % by weight, preferably from 5 to 15 % by weight of xonotlite.

09827434-064934
1057907272950

T06T90" TBT/2360

FIG. 1





FIG. 2



DECLARATION
AND POWER OF ATTORNEY
U.S.A.

FOR ATTORNEYS' USE ONLY
ATTORNEYS' DOCKET NO.

ALL PATENTS, INCLUDING DESIGN
FOR APPLICATION BASED ON PCT; PARIS CONVENTION;
NON PRIORITY; OR PROVISIONAL APPLICATIONS

As a below named inventor, I declare that my residence, post office address and citizenship are stated below next to my name, the information given herein is true, that I believe that I am the original, first and sole inventor (if only one name is listed at 201 below), or an original, first and joint inventor (if plural inventors are named below at 201-203, or on additional sheets attached hereto) of the subject matter which is claimed and for which patent is sought on the invention entitled:

Microporous heat insulation body

which is described and claimed in:

☐ the attached specification

☐ PCT International Application No.

PCT/EP 99/10003

filed 16/12/1999

☐ the specification in application Serial No.

filed

(if applicable) and amended on

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

198 59 084.9

Germany

19/12/1998

(Number)

(Country)

(Day/Month/Year Filed)

Priority Claimed

☒ Yes

☐ No

(Number)

(Country)

(Day/Month/Year Filed)

☐ Yes

☐ No

(Number)

(Country)

(Day/Month/Year Filed)

☐ Yes

☐ No

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below:

Application No.

Filing Date

Application No.

Filing Date

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status: patented, pending, abandoned)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys (Registration No.) to prosecute this application, receive and act on instructions from my agent, and transact all business in the Patent and Trademark Office connected therewith. HARVEY B. JACOBSON, JR. (20,851); D. DOUGLAS PRICE (24,514); JOHN CLARKE HOLMAN (22,769); MARVIN R. STERN (20,640); ALLEN S. MELSER (27,215); MICHAEL R. SLOBASKY (26,421); JONATHAN L. SCHERER (29,851); IRWIN M. AISENBERG (19,007); WILLIAM E. PLAYER (31,409); YOON S. HAM (45,307) and NATHANIEL A. HUMPHRIES (22,772)

SEND CORRESPONDENCE TO: CUSTOMER NO. 00136

or

JACOBSON, PRICE, HOLMAN & STERN
PROFESSIONAL LIMITED LIABILITY COMPANY
400 SEVENTH STREET, N.W.
WASHINGTON, D.C. 20004

DIRECT TELEPHONE CALLS TO:

(please use Attorney's Docket No.) (202) 638-6666

JACOBSON, PRICE, HOLMAN & STERN
PROFESSIONAL LIMITED LIABILITY COMPANY

*Inventor(s) name must include at least one unabbreviated first or middle name.

201	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE
202	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE
203	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under section 1001 of Title 18 of the United States Code; and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201*	SIGNATURE OF INVENTOR 202*	SIGNATURE OF INVENTOR 203*
DATE <u>09 MAY 2001</u>	DATE <u>9 May 2001</u>	DATE

☐ Additional inventors are named on separately numbered sheets attached hereto.